## User Guide for the National ICD-10 Master Industry Table for South Africa

**User Guide compiled by the Ministerial ICD-10 Task Team to define guidelines for the ICD-10 Master Industry Table (MIT) published in January 2014**

**Date:  April 2014 Draft 3 of Version 1.00**

## Table of Contents

**1.**

**1.3      References**

The following document must be read in conjunction with each other for a complete understanding of the National ICD-10 requirements in South Africa:

- National ICD-10 Implementation Status Report for South Africa
- National ICD-10 Morbidity Coding Standards and Guidelines for South Africa
- National ICD-10 Mortality Coding Standards and Guidelines for South Africa
- National ICD-10 Technical User Guide for South Africa
- National ICD-10 Master Industry Table

Please refer to the National Department of Health's web site for the most up to date version of the documents listed above.

Other references:
- PHISC Guidelines on Submission of ICD-10 Codes dated August 2005

For enquiries regarding the above mentioned documents, please direct an email to ICD10@health.gov.za.

**1.4      Acknowledgements**

The NDoH would like to thank all those participating in the ICD-10 Task Team for offering their time and expertise in the development of the implementation plan and supporting documentation.

**2.      Layout and Interpretation of the ICD-10 Master Industry Table (MIT)**

The following table describes the information contained within the MIT and how it should be interpreted:

| Column | Column Heading | Explanation | Data Example |
|--------|----------------|-------------|--------------|
| A | Number | Sequential numbering of each entry in the MIT data file used mainly for sorting purposes. | |
| B | Chapter_No | Chapter number | |

| Column | Column Heading | Explanation | Data Example |
|--------|---------------|-------------|--------------|
| J | Valid_ICD10_ClinicalUse | Indicates whether ICD-10 code listed in column H ICD10_Code is valid for clinical use or not.<br>To be used in conjunction with columns U and V<br><br>This is to ensure that only codes up to their maximum level of specificity are used.  Indicated as:<br><br>Y = Code VALID for clinical use<br>N = CODE INVALID for clinical use | N |

| Column | Column Heading | Explanation | Data Example |
|--------|----------------|-------------|--------------|
| Q | Status | South African status indicator for each entry:<br>A = Add | |